



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/665,349	09/18/2000	Mark A. Harper	10003223-1	4554

22879 7590 12/01/2004

HEWLETT PACKARD COMPANY
P O BOX 272400, 3404 E. HARMONY ROAD
INTELLECTUAL PROPERTY ADMINISTRATION
FORT COLLINS, CO 80527-2400

EXAMINER

THEIN, MARIA TERESA T

ART UNIT	PAPER NUMBER
----------	--------------

3627

DATE MAILED: 12/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/665,349

Applicant(s)

HARPER ET AL.

Examiner

Marissa Thein

Art Unit

3627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 August 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 and 22-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 and 22-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Response to Amendment

Applicant's "Amendment D" filed on August 30, 2004 has been considered.

Applicant's response by virtue of amendment to claim 23 has overcome the Examiner's rejection of such claim under 35 USC 112, second paragraph.

Claims 8 and 11 are amended. New claims 29-33 are added. Claim 21 is cancelled. Claims 1-20 and 22- 33 are pending in this application.

Response to Arguments

Applicant's arguments with respect to claims 1-33 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 27 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The phrase "prior to deployment" lacks antecedent basis.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which

Art Unit: 3627

said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 4, 6-7, and 24-25 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,108,099 to Ohtani in view of U.S. Patent No. 5,805,446 to Hatakeyama et al.

Regarding claim 1, Ohtani discloses a method of programming a memory unit and obtaining consumable supplies in a hard copy output engine comprising:

- determining an electronic address for a consumables supplier (E-mail address which is an address of a dealer that the reordering of paper, col. 5, lines 40-41);
- programming the electronic address into the memory (memory stores the ordering address to order the consumable goods, col. 8, lines 39-31);

However, Ohtani does not explicitly disclose the non-volatile memory.

Ohtani discloses the system controller stores the inputted E-mail address in the parameter memory (col. 5, lines 23-25). The non-volatile memory, as defined in Random House Computer & Internet Dictionary (1999), is the types of memory that retained their contents when power is turned off. To one of ordinarily skilled in the art, one wants to maintain an address or information in a memory when the power is shut off. In addition, one tends to want a memory that does not lose its data when the power is turned off. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include the non-volatile memory for the purpose of maintaining or retaining the address.

Art Unit: 3627

Furthermore, Ohtani does not disclose the geographical area within which the engine is to be deployed. Ohtani discloses an image forming apparatus used in facsimile machines, copy machines, printers that are connected to a communication network like a LAN and have a function for sending an electronic mail to a destination terminal (col. 2, lines 57-62). Furthermore, Ohtani discloses the network terminals including the facsimile machine 20 and personal computer 30 send E-mail to another terminal connected to the LAN 50 or a destination client terminal connected to a wide-area network like the Internet, the sent E-mail is first stored in the server 40 and is then sent to an addressed terminal (col. 3, lines 19-25). Hatakeyama, on the other hand, teaches the geographical area within which the product is to be deployed (facility locating program determines the location where products are to be set up).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include the geographical area, as taught by Hatakeyama, in order to provide an accurate location of an area where set-up and expansion is needed and evaluated (Hatakeyama col. 1, line 67 –col. 2, line 1).

Regarding claims 4 and 6-7, Ohtani discloses product descriptors for consumable supplies associated with the hard copy output engine (see at least col. 2, lines 57-62; col. 3, lines 19-25); the hard copy output engine is chosen from the group consisting of: facsimile machines, photocopiers and printers (see at least col. 2, lines 58-59); and a supplier chosen from the group consisting of: an original equipment manufacturer, a reseller, or a supplier of office supplies

Art Unit: 3627

including hard copy output engine consumables (see at least Figure 4; col. 5, lines 33-48).

Regarding claim 24, the combination of Ohtani and Hatekayma discloses substantially the claimed invention, however, it does not disclose the determinings and programming are performed prior to deployment of the hard copy output engine in a user environment. It was known at the time of the invention that merely reciting an order of the steps of a method claim which accomplishes the same result is not sufficient to distinguish over the prior art, *Altiris Inc. v. Symantec Corp.*, 65 USPQ2d 1865. For example, simply performing the determining and programming prior to the deployment gives you the same expectation which is already disclosed by the combination of Ohtani and Hatekayma. Moreover, applicant has not persuasively demonstrated that the recited order of steps is critical that the skilled artisan would have found suitable for the purpose taught by the combination. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide any way to determine and program in the method taught by the combination because the particular way to determine and program does not patently distinguish the claimed invention.

Regarding claim 25, Ohtani disclose the programming into the memory resident within the hard copy output engine (see at least col. 3, lines 63-66; col. 5, lines 14-17).

Claims 8, 11-12, 14-15, 17, 19, 22, 27, and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,108,099 to Ohtani in view of U.S. Patent No. 6,430,711 to Sekizawa.

Regarding claim 8, Ohtani discloses a method of obtaining consumable supplies for a hard copy:

- the extracting of an electronic address for a vendor (dealer) from a memory (E-mail address indicating where to order the paper is stored and this is an address of a dealer that handles the reordering paper);
- initiating communication with the vendor using the electronic address (see at least col. 5, lines 19-25; col. 6, lines 34-36; col. 7, lines 24-30)
- wherein initiating comprises directly initiating communication with the vendor from the hard copy output engine (E-mail address indicating where to order the paper and this is an address of a dealer that handles the reordering of paper)

However, Ohtani does not explicitly disclose the non-volatile memory. Ohtani discloses the system controller stores the inputted E-mail address in the parameter memory (col. 5, lines 23-25). The non-volatile memory, as defined in Random House Computer & Internet Dictionary (1999), is the types of memory that retained their contents when power is turned off. To one of ordinarily skilled in the art, one wants to maintain an address or information in a memory when the power is shut off. In addition, one tends to want a memory that does not lose its data when the power is turned off. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the

Art Unit: 3627

method of Ohtani, to include the non-volatile memory for the purpose of maintaining or retaining the address.

Furthermore, Ohtani does not disclose determining that an amount of consumable for the hard copy output engine is less than a threshold amount. Ohtani determines when the toner and paper is out (see at least col. 6, lines 10-24). Sekizawa, on the other hand, teaches the determining that an amount of consumable for the hard copy output engine is less than a threshold amount (see at least col. 9, lines 44-57; col. 10, lines 3-8; col. 15, lines 22-32; col. 28, lines 44-67; col. 34, lines 23-54). It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include determining that an amount of consumable for the hard copy output engine is less than a threshold amount, as taught by Sekizawa, so an operator can easily keep track of the consumable consumption tendency for each machines based on the predicted statistics (Sekizawa col. 9, lines 18-21). Thus, the consumable article can be prevented from running out (Sekizawa col. 9, lines 29-30).

Regarding claims 11-12, and 17, Sekizawa discloses a predetermined quantity of the consumable determined to be present in an amount less than the threshold amount (see at least col. 19, lines 15-35; col. 46, lines 7-31); and the determining comprises determining using processing circuitry in response to a sensor in the hard copy output engine sensing that an amount of the consumable is less than the threshold amount (see at least col. 19, lines 22-27; col. 33, lines 31-35; col. 34; col. 34, lines 22-55).

Regarding claims 14 and 19, Ohtani discloses the hard copy output engine is chosen from the group consisting of: facsimile machines, photocopiers and printers (see at least col. 2, lines 58-59).

Regarding claim 15, Ohtani discloses a computer implemented control system for a hard copy output engine, the system comprising:

- memory included in the hard copy output engine configured to store data representing an electronic address for a supplier of consumables see at least Figures 4-6; col. 2, lines 1-12; col. 5, lines 14-25; col. 6, lines 10-20; col. 5, lines 33-48; col. 8, lines 28-32; col. 9, lines 29-33); and
- processing circuitry configured (see at least col. 4, lines 45-52; col. 3, lines 49-56) to:
 - extract the electronic address from the memory (see at least Figures 4-6; col. 2, lines 1-12; col. 5, lines 14-25; col. 6, lines 10-20); and
 - initiate communication with the supplier using the electronic address (see at least col. 5, lines 19-25; col. 6, lines 34-36; col. 7, lines 24-30).

However, Ohtani does not explicitly disclose the non-volatile memory. Ohtani discloses the system controller stores the inputted E-mail address in the parameter memory (col. 5, lines 23-25). The non-volatile memory, as defined in Random House Computer & Internet Dictionary (1999), is the types of memory that retained their contents when power is turned off. To one of ordinarily skilled in the art, one wants to maintain an address or information in a memory when the

Art Unit: 3627

power is shut off. In addition, one tends to want a memory that does not lose its data when the power is turned off. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include the non-volatile memory for the purpose of maintaining or retaining the address.

Furthermore, Ohtani does not disclose determining that an amount of consumable for the hard copy output engine is less than a threshold amount. Ohtani determines when the toner and paper is out (see at least col. 6, lines 10-24). Sekizawa, on the other hand, teaches the determining that an amount of consumable for the hard copy output engine is less than a threshold amount (see at least col. 9, lines 44-57; col. 10, lines 3-8; col. 15, lines 22-32; col. 28, lines 44-67; col. 34, lines 23-54). It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include determining that an amount of consumable for the hard copy output engine is less than a threshold amount, as taught by Sekizawa, so an operator can easily keep track of the consumable consumption tendency for each machines based on the predicted statistics (Sekizawa col. 9, lines 18-21). Thus, the consumable article can be prevented from running out (Sekizawa col. 9, lines 29-30).

Regarding claim 22, Ohtani discloses the process circuitry (see at least col. 4, lines 45-52; col. 3, lines 49-56).

Regarding claim 27, the combination discloses substantially the claimed invention, however, the combination does not disclose the determinings and

Art Unit: 3627

programming are performed prior to deployment of the hard copy output engine in a user environment. It was known at the time of the invention that merely reciting an order of the steps of a method claim which accomplishes the same result is not sufficient to distinguish over the prior art, *Altiris Inc. v. Symantec Corp.*, 65 USPQ2d 1865. For example, simply performing the determining and programming prior to the deployment gives you the same expectation which is already disclosed by the combination. Moreover, applicant has not persuasively demonstrated that the recited order of steps is critical that the skilled artisan would have found suitable for the purpose taught by the combination. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide any way to determine and program in the method taught by the combination because the particular way to determine and program does not patently distinguish the claimed invention.

Regarding claims 29-31, Ohtani discloses communicating an electronic message from the hard copy output engine to the vendor directly to supplier (col. 5, lines 39-48).

Claims 23, 28, 32-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,108,099 to Ohtani in view of U.S. Patent No. 5,805,446 to Hatakeyama et al. and in further view of U.S. Patent No. 6,430,711 to Sekizawa.

Regarding claim 23, Ohtani discloses a method of obtaining consumable supplies for a hard copy output engine comprising:

Art Unit: 3627

- determining an electronic address for a consumables supplier (E-mail address which is an address of a dealer for the reordering of paper, col. 5, lines 40-41);
- programming the electronic address into the memory (memory stores the ordering address to order the consumable goods, col. 8, lines 39-31); and
- proactively initiating communication with the consumables supplier from the hard copy output engine and using the stored electronic address (col. 5, lines 39-48).

However, Ohtani does not explicitly disclose the non-volatile memory.

Ohtani discloses the system controller stores the inputted E-mail address in the parameter memory (col. 5, lines 23-25). The non-volatile memory, as defined in Random House Computer & Internet Dictionary (1999), is the types of memory that retained their contents when power is turned off. To one of ordinarily skilled in the art, one wants to maintain an address or information in a memory when the power is shut off. In addition, one tends to want a memory that does not lose its data when the power is turned off. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include the non-volatile memory for the purpose of maintaining or retaining the address.

Furthermore, Ohtani does not disclose the geographical area within which the hard copy output engine is to be deployed. Ohtani discloses an image forming apparatus used in facsimile machines, copy machines, printers that are connected to a communication network like a LAN and have a function for

Art Unit: 3627

sending an electronic mail to a destination terminal (col. 2, lines 57-62).

Furthermore, Ohtani discloses the network terminals including the facsimile machine 20 and personal computer 30 send E-mail to another terminal connected to the LAN 50 or a destination client terminal connected to a wide-area network like the Internet, the sent E-mail is first stored in the server 40 and is then sent to an addressed terminal (col. 3, lines 19-25). Hatakeyama, on the other hand, teaches the geographical area within which the product is to be deployed (facility locating program determines the location where products are to be set up).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the method of Ohtani, to include the geographical area, as taught by Hatakeyama, in order to provide an accurate location of an area where set-up and expansion is needed and evaluated (Hatakeyama col. 1, line 67 –col. 2, line 1).

Moreover, the combination of Ohtani and Hatakeyama does not disclose determining that an amount of consumable for the hard copy output engine is less than a threshold amount. The combination discloses the determination when the toner and paper is out (Ohtani see at least col. 6, lines 10-24). Sekizawa, on the other hand, teaches the determining that an amount of consumable for the hard copy output engine is less than a threshold amount (see at least col. 9, lines 44-57; col. 10, lines 3-8; col. 15, lines 22-32; col. 28, lines 44-67; col. 34, lines 23-54).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combination, to include determining that an amount of consumable for the hard copy output engine is less than a threshold amount, as taught by Sekizawa, so an operator can easily keep track of the consumable consumption tendency for each machines based on the predicted statistics (Sekizawa col. 9, lines 18-21). Thus, the consumable article can be prevented from running out (Sekizawa col. 9, lines 29-30).

Regarding claim 28, the combination discloses substantially the claimed invention, however, the combination does not disclose the determinings and programming are performed prior to deployment of the hard copy output engine in a user environment. It was known at the time of the invention that merely reciting an order of the steps of a method claim which accomplishes the same result is not sufficient to distinguish over the prior art, *Altiris Inc. v. Symantec Corp.*, 65 USPQ2d 1865. For example, simply performing the determining and programming prior to the deployment gives you the same expectation which is already disclosed by the combination. Moreover, applicant has not persuasively demonstrated that the recited order of steps is critical that the skilled artisan would have found suitable for the purpose taught by the combination. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide any way to determine and program in the method taught by the combination because the particular way to determine and program does not patently distinguish the claimed invention.

Regarding claims 32-33, Ohtani discloses communicating an electronic message from the hard copy output engine to the vendor directly to supplier (col. 5, lines 39-48).

Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ohtani and Sekizawa and in further in view of Hatakeyama.

Regarding claim 26, the combination of Ohtani and Sekizawa discloses substantially the claimed invention, specifically, the determining of the electronic address corresponding to the hard copy output engine (Ohtani Figures 4-6). However, the combination does not disclose the geographical area within which the hard copy output engine is to be deployed. The combination discloses an image forming apparatus used in facsimile machines, copy machines, printers that are connected to a communication network like a LAN and have a function for sending an electronic mail to a destination terminal (Ohtani col. 2, lines 57-62). Furthermore, the combination discloses the network terminals including the facsimile machine 20 and personal computer 30 send E-mail to another terminal connected to the LAN 50 or a destination client terminal connected to a wide-area network like the Internet, the sent E-mail is first stored in the server 40 and is then sent to an addressed terminal (Ohtani col. 3, lines 19-25). Hatakeyama, on the other hand, teaches the geographical area within which the product is to be deployed (facility locating program determines the location where products are to be set up).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combination, to include the geographical

Art Unit: 3627

area, as taught by Hatakeyama, in order to provide an accurate location of an area where set-up and expansion is needed and evaluated (Hatakeyama col. 1, line 67 –col. 2, line 1).

Furthermore, the combination does not disclose the determinings and programming are performed prior to deployment of the hard copy output engine in a user environment. It was known at the time of the invention that merely reciting an order of the steps of a method claim which accomplishes the same result is not sufficient to distinguish over the prior art, *Altiris Inc. v. Symantec Corp.*, 65 USPQ2d 1865. For example, simply performing the determining and programming prior to the deployment gives you the same expectation which is already disclosed by the combination. Moreover, applicant has not persuasively demonstrated that the recited order of steps is critical that the skilled artisan would have found suitable for the purpose taught by the combination. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide any way to determine and program in the method taught by the combination because the particular way to determine and program does not patently distinguish the claimed invention.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ohtani and Hatakeyama as applied to claim 1 above, and further in view of U.S. Patent No. 6,272,472 to Danneels et al. Ohtani and Hatakeyama substantially disclose the claimed invention, however, it does not disclose the reseller. The combination discloses the dealer (Ohtani col. 5, lines 39-43). Danneels, on the other hand, teaches the reseller (see at least abstract,

Art Unit: 3627

summary). It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combination of Ohtani and Hatakeyama, to include the reseller, to provide a convenient way for a purchase to order the product (Danneels col. 3, lines 59-61).

Claims 2 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohtani and Hatakeyama as applied to claims 1 above, and further in view of U.S. Patent No. 6,625,581 to Perkowski.

Regarding claim 2, Ohtani and Hatakeyama substantially discloses the claimed invention, however, the combination does not disclose the extracting of an electronic address, which comprises the extracting a universal resource locator. The combination discloses an ordering address to order the consumable goods (Ohtani col. 8, lines 28-32). Perkowski, on the other hand, teaches the extracting of an electronic address which comprises the extracting of a universal resource locator (see at least col. 45, line 45 – col. 46, line 36).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combination of Ohtani and Hatakeyama, to include the universal resource locator, in order to find the web home page of the vendor or supplier (Perkowski col. 46, lines 19-21).

Regarding claim 5, Ohtani and Hatakeyama substantially discloses the claimed invention, however, the combination does not disclose the determining of the electronic address of the supplier is obsolete; determining a revised electronic address for the supplier; and re-programming the memory with the revised electronic address to replace the obsolete electronic address.

Art Unit: 3627

Perkowski, on the other hand, teaches the determining of the electronic address of the supplier is obsolete; determining a revised electronic address for the supplier; and re-programming the memory with the revised electronic address to replace the obsolete electronic address (see at least col. 46, lines 18-36).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combination of Ohtani and Hatakeyama, to include the determining of the electronic address of the supplier is obsolete; determining a revised electronic address for the supplier; and re-programming the memory with the revised electronic address to replace the obsolete electronic address, in order to determine and update whether a particular supplier has a registered address on the Internet (Perkowski col. 46, lines 30-36).

Claims 9-10, 13, 16, 18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohtani and Sekizawa as applied to claims 8 and 15, and 15 above, and further in view of U.S. Patent No. 6,625,581 to Perkowski.

Regarding claims 9-10, 16, and 20, Ohtani and Sekizawa substantially discloses the claimed invention, however, it does not disclose the extracting of an electronic address, which comprises the extracting a universal resource locator. The combination discloses an ordering address to order the consumable goods (Ohtani col. 8, lines 28-32). Perkowski, on the other hand, teaches the extracting of an electronic address which comprises the extracting of a universal resource locator (see at least col. 45, line 45 – col. 46, line 36). It would have been obvious to one of ordinary skill in the art at the time of the invention was made to

Art Unit: 3627

modify the combination of Ohtani and Sekizawa, to include the universal resource locator, in order to find the web home page of the vendor or supplier (Perkowski col. 46, lines 19-21).

Regarding claims 13 and 18, Ohtani and Sekizawa substantially discloses the claimed invention, however, it does not disclose the servlet. The combination disclose the global Internet (see Sekizawa col. 43, lines 35-38). Perkowski, on the other hand, teaches the servlet (see at least col. 14, lines 5-50; and Figures 2B1, 2B2 and 2B3). It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combination of Ohtani and Sekizawa, to include the servlet, in order to provide a Web server environment and can fulfill multiple task (Perkowski col. 48, lines 38-44).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marissa Thein whose telephone number is 703-305-5246. The examiner can normally be reached on M-F 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Olszewski can be reached on 703-308-5183. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3627

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

mtot

November 29, 2004

Michael Cuff 11/29/04
MICHAEL CUFF
PRIMARY EXAMINER